

By Authority of the COMMISSIONER OF PATENTS AND TRADEMARKS

LANAI JAMISON
Certifying Officer

La nai Jamisa

PTO/SB/16 (08-03)

Approved for use through 7/31/2006, OMB 0651-0032

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

PROVISIONAL APPLICATION FOR PATENT COVER SHEET This is a request for filing a PROVISIONAL APPLICATION FOR PATENT under 37 CFR 1.53(c).

<u> </u>		IAI	VENTOR(S)					
			AEM LOK(O)			Resid		
Given Name (first and n	niddle [if any])	Family Name	or Sumame				or Foreign Country)	
Michaela		Horvat			e, Croatia			1
Maja		Devcic			a, Croatia , Croatia			İ
Amir		Avdagic						
Additional inv	entors are being	·		ately number		tached	d hereto	
	T T	ITLE OF THE INVE	N 110N (500	Characters	max)	171.1.1	DUENVI \ 2 /2 /	1
A CRYSTALLINE HYDROXY-1-ME	THYLETHYL)	-(((1(K)-(3-(2-(7-C) PHENYL) PROP	PYL) THIO)	METHYL) (YCLOPR	OPA	NE ACETIC ACI	D
Direct all corresponden	ce to: CO	RRESPONDENCE	ADDRESS	_				İ
X Customer Numbe	r:	07278						
OR								
Firm or	S. Peter Luc	lwig						
Individual Name	DARBY & D							
Address	P.O. Box 52	57						Ì
	Mann Mark		014	NY		Zip	10150-5257	
City	New York US		State Telephone	(212) 527-	7700	Fax	(212) 753-6237	7
Country		LOSED APPLICAT		,		1	(212) 100 020.	
x Specification N				s), Number		\exists		
 		 			<u> </u>			
Drawing(s) Nur	nber of Sheets	3	Oth					
x Application Dat	a Sheet. See	37 CFR 1.76	(spe	cify):			<u>.</u>	
METHOD OF PAYME	NT OF FILING	FEES FOR THIS F	PROVISIONA	L APPLICAT	ION FOR	PATE	NT	
		status. See 37 CF						
l <u> </u>		closed to cover the					FILING FEE AMOUNT (\$)	
│ ├≓ <u></u>							7.1110-0111 (4)	1
fees or credit a	The Director is hereby authorized to charge filing fees or credit any overpayment to Deposit Account Number: 04-0100 160.00						·	
· —		n PTO-2038 is atta						
The invention was m	ade by an agen			nt or under a	contract with	an ag	gency of the	
United States Govern								
X No Ye	s, the name of t d the Govemme	he U.S. Government ent contract number a	agency are:					
		(1	Page 1 of 2			-		
Respectfully submitte	^d () / 1/-	<i>(</i>)		Dat	te	Jar	nuary 28, 2004	
SIGNATURE	3.1 KU	la 1/						
TYPED OR	- (- 1	1/10		REGIST	RATION I	VO .	25,351	
PRINTED NAME	S. Peter	Ludwig, Esq.		(if approp	oriate)		20,001	
TELEPHONE	(212) 527-	7770		Docket	Number:	0	3818/0200780-	US0
		FOR FILING A PR	OVISIONAL	APPLICATI	ON FOR P	ATEN	IT	
	:·							
Express Mail Label N	0.	Dated:	<u>-</u> -					
L								

PROVISIONAL APPLICATION COVER SHEET Additi nal Page

PTO/SB/16 (08-03)

Approved for use through 07/31/06. OMB 0651-0032

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Docket Number 03818/0200780-US0							
	INVENTOR(S)/APPLICAN	IT(S)					
Given Name (first and middle [if any])	Family or Sumame	Residence (City and either State or Foreign Country) Bjelovar, Croatia					
Ernest Dominik	Mestrovic Cincic	Zagreb, Croatia					
DOMINIK		-					

[Page 2 of 2]·

PTO/SB/17 (10-03) Approved for use through 7/31/2006, OMB 0651-0032

Under the Paperwork Reduction Act of 1995, no persons are require	d to re	J of broase	J.S. Pal a colle	ent and ction of i	Trademark information	Office; U.S. D unless it displa	PEPARTMENT OF C tys a valid OMB cont	OMMERCE rol number.
					Comp	let if Kno	wn	
FEE TRANSMITTAL		Applica	ation N	lumbe		Not Yet As		
for FY 2004		Filing [Date		(Concurrent	tly Herewith	
		First Named Inventor M			Michaela Horvat			
Effective 10/01/2003, Patent fees are subject to annual revision.	-[Examir	ier Na	me	1	Not Yet As	signed	
Applicant claims small entity status. See 37 CFR 1.27		Art Uni	t			N/A		
TOTAL AMOUNT OF PAYMENT (\$) 160.00		Attome	y Doc	ket No		03818/020	0780-US0	
METHOD OF PAYMENT (check all that apply)				FEE	CALCUL	ATION (con	tinued)	
X Check Credit Money Other None	3. A	DDITIO	NAL	FEES				
Deposit Account:	Large	Entity	Small	Entity				
Deposit Account Number	Fee Code	Fee (\$)	Fee Code	Fee (\$)		Fee Descri	iption	Fee Paid
Deposit Account Darby & Darby P.C.	1051	130	2051		_	- late filing fee		
Name The Director is authorized to: (check all that apply)	1052	50	2052	25	sheet.	- late provision	nal filing fee or cover	
Charge fee(s) indicated below X Credit any overpayments	1053	130	1053	130	Non-Englis	n specification		
Charge any additional fee(s) or any underpayment of fee(s)	1812	2,520	1812	2,520	For filing a r	request for ex pa	arte reexamination	
H	1804	920*	1804	920*	Requesting	g publication of	SIR prior to	
Charge fee(s) indicated below, except for the filing fee	١.	1,840*	1805		Examiner a Requesting	g publication of	SIR after	
to the above-identified deposit account.	1251	·	2251	55	Examiner	action for reply within		
FEE CALCULATION 1. BASIC FILING FEE	1252		2252	210		for reply within		
Large Entity Small Entity	1253	950	2253	475	Extension	for reply within	third month	
Fee Fee Fee Fee Fee Description Fee Paid Code (\$) Code (\$)	1254	1,480	2254	740	Extension	for reply within	fourth month	
Code (\$) Code (\$) 1001 770 2001 385 Utility filing fee	1255	2,010	2255	1,005	Extension	for reply within	fifth month	
1002 340 2002 170 Design filing fee	1401		2401	165		* *	f	<u> </u>
1003 530 2003 265 Plant filing fee	1402 1403		2402 2403	165 145	_	ief in support of or oral hearing	тап арреаі	<u> </u>
1004 770 2004 385 Reissue filing fee 1005 160 2005 80 Provisional filing fee 160.00	1451		1451				lic use proceeding	
	1452	2 110	2452	55	Petition to	revive – unavo	oldable	
SUBTOTAL (1) (\$) 160.00	1453	1,330	2453	665		revive - uninte		
2. EXTRA CLAIM FEES FOR UTILITY AND REISSUE	1501		2501	665	•	ie fee (or reissu	ne)	
Extra Fee from Claims below Fee Paid	1502		2502		•			
Total Claims 16 -**= X = X	1503		2503 1460			to the Commiss	sioner	
Claims L3 - L	1807		1807			ng fee under 37		
Multiple Dependent	180		1806			-	on Disclosure Stmt	
Fee Fee Fee Fee Fee Fee Fee Fee Fee Fee	802		8021		Recording	g each patent a	ssignment per	
Code (\$) Code (\$)	ł		1		Filing a st	times number ubmission after	or propernes) r final rejection	
1202	180	9 770	2809	385	(37 CFR	1.129(a))		
1203 290 2203 145 Multiple dependent claim, if not paid	181	0 770	2810	385	examined	additional inve 1 (37CFR 1.129	9(b))	
1204 86 2204 43 ** Reissue independent claims	180	1 770	2801	385		for Continued E for expedited e	Examination (RCE)	
over original patent 1205 18 2205 9 ** Reissue claims in excess of 20	180	2 900	1802	2 900		tor expedited e gn application	AGITINI GUUI	
and over original patent	Othe	er fee (sp	ecify)					<u> </u>
SUBTOTAL (2) (5) 0.00 **or number previously paid, if greater; For Reissues, see above	*Re	duced by	Basic	Filing Fe	ee Paid	SUBTO	TAL (3) (5)	0.00
SUBMITTED BY						(Complete	(if applicable))	
Name (Print/Type) S. Peter Ludwig, Esq.	Regi (Atto	istration I mey/Ager	Vo. 2	5,351		Telephone	(212) 527-777	0
Signature Seller V						Date	January 28, 2	004
Express Mail Label No. Dated:								

Application No. (if known):

Attorney Docket No.: 03818/0200780-US0

Certificate of Express Mailing Under 37 CFR 1.10

I hereby certify that this correspondence is being deposited with the United States Postal Service as in an envelope addressed to: Express Mail, Airbill No. 9 9 4 0

MS Patent Application Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

January 28, 2004 Date

Typed or printed name of person signing Certificate

Note:

Each paper must have its own certificate of mailing, or this certificate must identify each submitted paper.

Provisional Patent Application Transmittal (2 pages)

Fee Transmittal (1 page)

Application Data Sheet (3 pages)

Specification, Claims and Abstract (16 pages)

3 sheet of drawings (Figs. 1-3) Check No. 4002

in the amount of \$160.00

Application Data She t

Application Information

Application Type:: Provisional

Subject Matter:: Utility

Suggested Group Art Unit:: N/A

CD-ROM or CD-R?:: None

Sequence submission?:: None

Computer Readable Form (CRF)?:: No

Title:: A CRYSTALLINE FORM OF 1-(((1(R)-(3-(2-

No

(7-CHLORO-2-QUINOLINYL)ETHENYL)-

PHENYL)-3-(2-(1-HYDROXY-1-

METHYLETHYL) PHENYL) PROPYL)

THIO) METHYL) CYCLOPROPANE

ACETIC ACID

Attorney Docket Number:: 03818/0200780-US0

Request for Early Publication?:: No

Request for Non-Publication?:: No

Small Entity?:: No

Secrecy Order in Parent Appl.?:: No

Applicant Information

Petition included?::

Applicant Authority Type:: Inventor

Primary Citizenship Country:: Croatia

Status:: Full Capacity

Given Name:: Michaela

Family Name:: Horvat

City of Residence:: Sesvete

Country of Residence:: Croatia

Street of mailing address:: Selcinska 28

City of mailing address:: Sesvete

Croatia Country of mailing address::

Postal or Zip Code of mailing address:: HR-10360

Inventor Applicant Authority Type::

Croatia Primary Citizenship Country::

Full Capacity Status::

Maja Given Name::

Devcic Family Name::

Pozega City of Residence::

Croatia Country of Residence::

Pavla Radica 110 Street of mailing address::

Pozega City of mailing address::

Croatia Country of mailing address::

HR-34000 Postal or Zip Code of mailing address::

Inventor Applicant Authority Type::

Croatia Primary Citizenship Country::

Full Capacity Status::

Amir Given Name::

Avdagic Family Name::

Zagreb City of Residence::

Croatia Country of Residence::

Gustava Krkleca 24 Street of mailing address::

Zagreb City of mailing address::

Croatia Country of mailing address::

HR-10000 Postal or Zip Code of mailing address::

Inventor Applicant Authority Type::

Primary Citizenship Country:: Croatia

Full Capacity Status::

Ernest Given Name:: Mestrovic Family Name::

Conv provided by USPTO from the IEW Image Database on 12/15/2004

.

City of Residence::

Bjelovar

Country of Residence::

Croatia

Street of mailing address::

Ivana Grande 41

City of mailing address::

Bjelovar

Country of mailing address::

Croatia

Postal or Zip Code of mailing address::

HR-43000

Applicant Authority Type::

Inventor

Primary Citizenship Country::

Croatia

Status::

Full Capacity

Given Name::

Dominik

Family Name::

Cincic

City of Residence::

Zagreb

Country of Residence::

Croatia

Street of mailing address::

Josipa Brunsmida 1

City of mailing address::

Zagreb

Country of mailing address::

Croatia

Postal or Zip Code of mailing address::

HR-10000

Correspondence Information

Correspondence Customer Number::

07278

Representative Information

Representative Customer Number::

07278

Assignee Information

Assignee name::

Pliva d.d.

Street of mailing address::

Ulica Grada Vukovara 49

City of mailing address::

Zagreb

Country of mailing address::

Croatia

Postal or Zip Code of mailing address::

HR-10 000

Copy provided by USPTO from the IFW Image Database on 12/15/2004

Docket No: 03818/0200780-US0

PLEASE CHARGE ANY DEFICIENCY UP TO \$1000.00 OR CREDIT

ANY EXCESS IN THE FEES DUE WITH THIS DOCUMENT TO OUR

EXPRESS MAIL CERTIFICATE

Label No. I hereby certify that, on the date indicated above, this paper or fee was deposited with the U.S. Postal Service & that it was addressed for delivery to the Mail Stop Provisional Patent Application, Commissioner for Patents, PO Box 1450, Alexandria, VA. 22313-1450 by "Express Mail Post Office to Addressee" service.

DEPOSIT ACCOUNT NO. 04 - 0100

5

15

Signature

Customer No.: 07278

A CRYSTALLINE FORM OF 1-(((1(R)-(3-(2-(7-CHLORO-2-QUINOLINYL)ETHENYL)-

PHENYL)-3-(2-(1-HYDROXY-1-METHYLETHYL)PHENYL)PROPYL)

THIO)METHYL) CYCLOPROPANE ACETIC ACID

Field of the Invention

The present invention relates to a new crystalline form of 1-(((1R)-(3-(2-(7-10 chloro-2-quinolinyl)ethenyl)-phenyl)-3-(2-(1-hydroxy-1-methylethyl)phenyl)propyl)thio)methyl)

cyclopropane acetic acid, to a process for its preparation, to pharmaceutical formulations

containing it, and to a method of treatment using the same.

Background of the Invention

(1-hydroxy-1-methylethyl)phenyl)propyl)thio)methyl)cyclopropane acetic acid (Montelukast sodium) is a therapeutic agent useful for the treatment of bronchial asthma. Montelukast sodium is disclosed in European Patent Application No. 480,717.

EP 480,717 does not disclose the solid state characterization of 1-(((1(R)-(3-(2-(7-chloro-2-quinolinyl)-phenyl)-3-(2-(1-hydroxy-1methylethyl)phenyl)propyl)thio) methyl) cyclopropane acetic acid or the sodium salt thereof.

Summary of the Invention

In one embodiment, the present invention is directed to a new crystalline form of 1-(((1R)-(3-(2-(7-chloro-2-quinolinyl)-phenyl)-3-(2-(1-hydroxy-1-methylethyl)) phenyl)propyl)thio) methyl)cyclopropane acetic acid.

In a second embodiment, the disclosure is directed to a process for the preparation of the new crystalline form of 1-(((1(R)-(3-(2-(7-chloro-2-quinolinyl)+chenyl)-3-(2-(1-hydroxy-1-methylethyl))phenyl)propyl)thio) methyl)cyclopropane acetic acid.

A further embodiment is directed to a pharmaceutical composition containing the new crystalline form, and yet another embodiment is directed to a method of treatment using the new crystalline form.

Brief Description of the Drawings

Figure 1 shows an X-ray powder diffraction pattern (XRPD) of the crystalline form of 1-(((1R)-(3-(2-(7-chloro-2-quinolinyl)-phenyl)-3-(2-(1-hydroxy-1-methylethyl)) phenyl)propyl)thio) methyl)cyclopropane acetic acid of the present invention.

Figure 2 shows an infra-red (IR) spectrum of the crystalline form of 1-(((1(R)-(3-(2-(7-chloro-2-quinolinyl)-phenyl)-3-(2-(1-hydroxy-1-methylethyl)phenyl) propyl)thio)methyl) cyclopropane acetic acid of the present invention.

10

15

Figure 3 shows a differential scanning calorimetry (DSC) thermogram of the crystalline form of 1-(((1(R)-(3-(2-(7-chloro-2-quinolinyl)ethenyl)-3-(2-(1-hydroxy-1-methylethyl) phenyl)propyl)thio) methyl)cyclopropane acetic acid of the present invention.

5

10

15

20

Detailed Description of the Invention

A new crystalline form of 1-(((1(R)-(3-(2-(7-chloro-2-quinolinyl)ethenyl)-phenyl)-3-(2-(1-hydroxy-1-methylethyl)phenyl)propyl)thio)methyl)cyclopropane acetic acid can be prepared by recrystallization of 1-(((1(R)-(3-(2-(7-chloro-2-quinolinyl)ethenyl)-phenyl)-3-(2-(1-hydroxy-1-methylethyl)phenyl)propyl)thio)methyl)cyclopropane acetic acid from a mixture of one or more aqueous buffers and acetone.

The starting material used to prepare the new crystalline form may be any amorphous or crystalline form of 1-(((1(R)-(3-(2-(7-chloro-2-quinolinyl)-thenyl)-3-(2-(1-hydroxy-1-methylethyl) phenyl) propyl) thio) methyl) cyclopropane acetic acid, or any salt thereof.

For the recrystallization, the pH range of the aqueous buffer is typically between about 2 and about 8, preferably from about 3 to about 7, and most preferably from about 4 to about 6. The ratio of aqueous buffer to acetone used in the recrystallization is typically from about 1:10 to about 10:1, preferably from about 1:4 to about 4:1, and most preferably from about 1:2 to about 2:1. The recrystallization temperature is typically between about 5 °C and about 50 °C, preferably from about 10 °C to about 40 °C, and most preferably from about 20 °C to about 30 °C.

Suitable aqueous buffers include, but are not limited to, acetate, citric, biphtalate, and phosphate buffers.

A single crystal of the new crystalline form of 1-(((1(R)-(3-(2-(7-chloro-2-quinolinyl)ethenyl)-3-(2-(1-hydroxy-1-methylethyl)phenyl)propyl)thio)methyl)

5 cyclopropane acetic acid was prepared, and single crystal X-ray diffraction data collected using a Bruker Nonius FR591/Kappa CCD diffractometer using CuKα radiation. Pertinent crystallographic data thus obtained data are set forth in Table 1.

TABLE 1. Crystallographic data for the new crystalline form of 1-(((1(R)-(3-(2-(7-chloro-2-quinolinyl)ethenyl)-3-(2-(1-hydroxy-1-methylethyl)phenyl)propyl)thio)methyl) cyclopropane acetic acid

Chemical formula	(C35H35ClNO3S)2				
Empirical formula weight	585.15				
Temperature	293(2) K				
Crystal size	$0.06 \times 0.10 \times 0.25 \text{ mm}$				
Crystal system, space group	Monoclinic, P 2 ₁				
Unit cell dimension	a = 7.95(1) Å				
	b = 21.94(1) Å				
·	c = 17.95(1) Å				
	$\beta = 100.03(1)^{\circ}$				
	3082(1) Å ³				
1. Z	2				
Calculated density	1.26(1) g cm ⁻³				

The new crystalline form of 1-(((1(R)-(3-(2-(7-chloro-2-quinolinyl)ethenyl)phenyl)-3-(2-(1-hydroxy-1-methylethyl)phenyl)propyl)thio)methyl)cyclopropane acetic acid has characteristic X-ray powder diffraction peaks (designated by "20" and expressed in degrees) as

follows; $6.5\pm0.2^{\circ}$, $10.0\pm0.2^{\circ}$, $15.5\pm0.2^{\circ}$, $18.3\pm0.2^{\circ}$, $20.4\pm0.2^{\circ}$, $24.6\pm0.2^{\circ}$, measured using CuK α radiation on a powder sample collected using a Philips X'PertPRO powder diffractometer. This is shown in Figure 1.

Figures 2 and 3 show the Differential Scanning Calorimetry thermogram (DSC) and Infrared spectrum (IR), respectively, of the new crystalline form of 1-(((1(R)-(3-(2-(7-chloro-2-quinolinyl)ethenyl)-phenyl)-3-(2-(1-hydroxy-1-methylethyl)phenyl)propyl)thio)methyl) cyclopropane acetic acid of the present invention. In the IR (Figure 2), characteristic bands are observed at 1715±5 cm⁻¹ and 3573±5 cm⁻¹. In the DSC (Figure 3), a characteristic endothermic peak in range from 120 °C to 180 °C is observed.

5

10

15

20

The purity of the solid new crystalline form of 1-(((1(R)-(3-(2-(7-chloro-2-quinolinyl)ethenyl)-3-(2-(1-hydroxy-1-methylethyl)phenyl)propyl)thio)methyl) cyclopropane acetic acid obtained using the process of the present invention is typically greater than about 90.0 %, preferably greater than about 95.0 %, more preferably greater than about 99.0 % and the most preferably greater than about 99.9 %.

Therapeutic Formulations and Regimens

The new crystalline form of 1-(((1(R)-(3-(2-(7-chloro-2-quinolinyl)ethenyl)-phenyl)-3-(2-(1-hydroxy-1-methylethyl)phenyl)propyl)thio)methyl) cyclopropane acetic acid of the present invention can be utilized in the preparation of rapid, controlled and sustained release pharmaceutical formulations, suitable for oral, rectal, parenteral, transdermal, buccal,

nasal, sublingual, subcutaneous or intravenous administration. Such formulations may be useful for the treatment of asthma in a human.

The formulations are preferably administered orally, in the form of rapid or controlled release tablets, microparticles, mini tablets, capsules and oral solutions or suspensions, or powders for the preparation thereof. In addition to the new crystalline form of 1-(((1(R)-(3-(2-(7-chloro-2-quinolinyl)ethenyl)-phenyl)-3-(2-(1-hydroxy-1-methylethyl)phenyl)propyl)thio) methyl) cyclopropane acetic acid of the present invention as the active substance, oral preparations may optionally include various standard pharmaceutical carriers and excipients, such as binders, fillers, buffers, lubricants, glidants, disintegrants, odorants, sweeteners, surfactants and coatings. Some excipients may have multiple roles in the formulations, e. g., act as both binders and disintegrants.

5

10

15

20

Examples of pharmaceutically acceptable disintegrants for oral formulations useful in the present invention include, but are not limited to, starch, pre-gelatinized starch, sodium starch glycolate, sodium carboxymethylcellulose, croscarmellose sodium, microcrystalline cellulose, alginates, resins, surfactants, effervescent compositions, aqueous aluminum silicates and crosslinked polyvinylpyrrolidone.

Examples of pharmaceutically acceptable binders for oral formulations useful herein include, but are not limited to, acacia; cellulose derivatives, such as methylcellulose, carboxymethylcellulose, hydroxypropylmethylcellulose, hydroxypropylcellulose or hydroxyethylcellulose; gelatin, glucose, dextrose, xylitol, polymethacrylates, polyvinylpyrrolidone, sorbitol, starch, pre-gelatinized starch, tragacanth, xanthane resin, alginates, magnesium-aluminum silicate, polyethylene glycol or bentonite.

Examples of pharmaceutically acceptable fillers for oral formulations include, but are not limited to, lactose, anhydrolactose, lactose monohydrate, sucrose, dextrose, mannitol, sorbitol, starch, cellulose (particularly microcrystalline cellulose), dihydro- or anhydro-calcium phosphate, calcium carbonate and calcium sulfate.

Examples of pharmaceutically acceptable lubricants useful in the formulations of the invention include, but are not limited to, magnesium stearate, talc, polyethylene glycol, polymers of ethylene oxide, sodium lauryl sulfate, magnesium lauryl sulfate, sodium oleate, sodium stearyl fumarate, DL-leucine and colloidal silicon dioxide

5

10

15

20

Examples of suitable pharmaceutically acceptable odorants for the oral formulations include, but are not limited to, synthetic aromas and natural aromatic oils such as extracts of oils, flowers, fruits and combinations thereof. Preferable are vanilla and fruit aromas, including banana, apple, sour cherry, peach and similar aromas. Their use depends on many factors, the most important being the organoleptic acceptability for the population that will be taking the pharmaceutical formulations.

Examples of suitable pharmaceutically acceptable dyes for the oral formulations include, but are not limited to, synthetic and natural dyes such as titanium dioxide, beta-carotene and extracts of grapefruit peel.

Examples of useful pharmaceutically acceptable coatings for the oral formulations, typically used to facilitate swallowing, modify the release properties, improve the appearance, and/or mask the taste of the formulations include, but are not limited to, hydroxypropylmethylcellulose, hydroxypropylcellulose and acrylate-methacrylate copolymers.

Suitable examples of pharmaceutically acceptable sweeteners for the oral formulations include, but are not limited to, aspartame, saccharin, saccharin sodium, sodium cyclamate, xylitol, mannitol, sorbitol, lactose and sucrose.

Suitable examples of pharmaceutically acceptable buffers include, but are not limited to, citric acid, sodium citrate, sodium bicarbonate, dibasic sodium phosphate, magnesium oxide, calcium carbonate and magnesium hydroxide.

5

10

15

20

Suitable examples of pharmaceutically acceptable surfactants include, but are not limited to, sodium lauryl sulfate and polysorbates.

Formulations of the new crystalline form of 1-(((1(R)-(3-(2-(7-chloro-2-quinolinyl)ethenyl)-phenyl)-3-(2-(1-hydroxy-1-methylethyl)phenyl)propyl)thio)methyl) cyclopropane acetic acid of the present invention can also be administered intravenously or intraperitoneally, by infusion or injection. Dispersions can also be prepared in a liquid carrier or intermediate, such as glycerin, liquid polyethylene glycols, triacetin oils, and mixtures thereof. To improve storage stability, such preparations may also contain a preservative to prevent the growth of microorganisms.

Pharmaceutical formulations suitable for injection or infusion may be in the form of a sterile aqueous solution, a dispersion or a sterile powder that contains the active ingredient, adjusted, if necessary, for preparation of such a sterile solution or dispersion suitable for infusion or injection. This may optionally be encapsulated into liposomes. In all cases, the final preparation must be sterile, liquid, and stable under production and storage conditions.

Docket No: 03818/0200780-US0

The liquid carrier or intermediate can be a solvent or liquid dispersive medium that contains, for example, water, ethanol, a polyol (e. g. glycerol, propylene glycol or the like), vegetable oils, non-toxic glycerine esters and suitable mixtures thereof. Suitable flowability may be maintained, by generation of liposomes, administration of a suitable particle size in the case of dispersions, or by the addition of surfactants. Prevention of the action of micro-organisms can be achieved by the addition of various antibacterial and antifungal agents, e. g. paraben, chlorobutanol, or sorbic acid. In many cases isotonic substances are recommended, e. g. sugars, buffers and sodium chloride to assure osmotic pressure similar to those of body fluids, particularly blood. Prolonged absorption of such injectable mixtures can be achieved by introduction of absorption-delaying agents, such as aluminium monostearate or gelatin.

5

10

15

20

Sterile injectable solutions can be prepared by mixing the new crystalline form 1-(((1R)-(3-(2-(7-chloro-2-quinolinyl)ethenyl)-phenyl)-3-(2-(1-hydroxy-1-methylethyl)) phenyl)propyl) thio)methyl) cyclopropane acetic acid with an appropriate solvent and one or more of the aforementioned excipients, followed by sterile filtering. In the case of sterile powders suitable for use in the preparation of sterile injectable solutions, preferable preparation methods include drying in vacuum and lyophilization, which provide powdery mixtures of the isostructural pseudopolymorphs and desired excipients for subsequent preparation of sterile solutions.

The compound of the present invention may also be used for the preparation of locally acting, topical formulations. Such formulations may also contain other pharmaceutically

acceptable excipients, such as polymers, oils, liquid carriers, surfactants, buffers, preservatives, stabilizers, antioxidants, moisturizers, emollients, colorants and odorants.

Examples of pharmaceutically acceptable polymers suitable for such topical formulations include, but are not limited to, acrylic polymers; cellulose derivatives, such as carboxymethylcellulose sodium, methylcellulose or hydroxypropylcellulose; natural polymers, such as alginates, tragacanth, pectin, xanthan and cytosan.

5

10

15

20

Examples of suitable pharmaceutically acceptable oils which are so useful include but are not limited to, mineral oils, silicone oils, fatty acids, alcohols, and glycols. Examples of suitable pharmaceutically acceptable liquid carriers include, but are not limited to, water, alcohols or glycols such as ethanol, isopropanol, propylene glycol, hexylene glycol, glycerol and polyethylene glycol, or mixtures thereof in which the new crystalline form of 1-(((1(R)-(3-(2-(7-chloro-2-quinolinyl)ethenyl)-phenyl)-3-(2-(1-hydroxy-1-methylethyl)phenyl) propyl)thio)methyl) cyclopropane acetic acid is dissolved or dispersed, optionally with the addition of non-toxic anionic, cationic or non-ionic surfactants, and inorganic or organic buffers.

Suitable examples of pharmaceutically acceptable preservatives include, but are not limited to, various antibacterial and antifungal agents such as solvents, for example ethanol, propylene glycol, benzyl alcohol, chlorobutanol, quaternary ammonium salts, and parabens (such as methyl paraben, ethyl paraben, propyl paraben, etc.).

Suitable examples of pharmaceutically acceptable stabilizers and antioxidants include, but are not limited to, ethylenediaminetetraacetic acid (EDTA), thiourea, tocopherol and butyl hydroxyanisole.

Suitable examples of pharmaceutically acceptable moisturizers include, but are not limited to, glycerine, sorbitol, urea and polyethylene glycol.

Suitable examples of pharmaceutically acceptable emollients include, but are not limited to, mineral oils, isopropyl myristate, and isopropyl palmitate.

The use of dyes and odorants in topical formulations of the present invention depends on many factors of which the most important is organoleptic acceptability to the population that will be using the pharmaceutical formulations.

5

10

15

20

The therapeutically acceptable quantity of the new crystalline form of 1-(((1(R)-(3-(2-(7-chloro-2-quinolinyl)ethenyl)-phenyl)-3-(2-(1-hydroxy-1-methylethyl)phenyl) propyl)thio)methyl) cyclopropane acetic acid of the present invention administered varies, dependent on the selected compound, the mode of administration, treatment conditions, age and status of the patient or animal species, and is subject to the final decision of the physician, clinician or veterinary doctor monitoring the course of treatment.

Suitable oral and parenteral doses may vary within the range of from about 14.5 to about 286 µg per kg of body weight per day, preferably from about 29 to about 214 µg per kg of body weight and more preferably from about 58 to about 143 µg per kg of body weight per day. The new crystalline form of 1-(((1(R)-(3-(2-(7-chloro-2-quinolinyl)-phenyl)-3-(2-(1-hydroxy-1-methylethyl)phenyl)propyl)thio)methyl) cyclopropane acetic acid may be formulated in a single dosage form that contains from about 1 to about 20 mg, preferably from about 2 to about 15 mg, and more desirably from about 4 to about 10 mg of the active substance per unit dose.

Examples

The following Examples illustrate the invention, but are not limiting.

Example 1 - Preparation of the Crystalline Form

5

10

15

1-(((1(R)-(3-(2-(7-chloro-2-quinolinyl)-thenyl)-3-(2-(1-hydroxy-1-methylethyl)) phenyl)propyl)thio) methyl)cyclopropane acetic acid (1 g) was suspended in acetone (100 ml) and citric buffer pH=5 (100 ml). The suspension was sonicated in an ultrasound bath at a temperature of 20 °C for 3 minutes. The precipitate formed after 24 h. The crystals were filtered off and dried at room temperature under atmospheric pressure to constant weight to give 0.85 g of the crystal form of 1-(((1(R)-(3-(2-(7-\text{chloro}-2-quinolinyl)-phenyl)-3-(2-(1-hydroxy-1-methylethyl)phenyl)propyl)thio) methyl)cyclopropane acetic acid).

* * *

The present invention is not to be limited in scope by the specific embodiments described herein. Various modifications of the invention in addition to those described herein will become apparent to those skilled in the art from the foregoing description. Such modifications are intended to fall within the scope of the appended claims.

All patents, applications, publications, test methods, literature, and other materials cited herein are hereby incorporated by reference.

WHAT IS CLAIMED IS:

5

- 1. Crystalline 1-(((1(R)-(3-(2-(7-chloro-2-quinolinyl)ethenyl)-phenyl)-3-(2-(1-hydroxy-1-methylethyl)phenyl) propyl)thio)methyl)cyclopropane acetic acid having characteristic X-ray powder diffraction peaks, designated by 2θ and expressed in degrees, at 6.5±0.2°, 10.0±0.2°, 15.5±0.2°, 18.3±0.2°, 20.4±0.2° and 24.6±0.2°.
- 2. Crystalline 1-(((1(R)-(3-(2-(7-chloro-2-quinolinyl)ethenyl)-phenyl)-3-(2-(1-hydroxy-1-methylethyl)phenyl) propyl)thio)methyl)cyclopropane acetic acid characterized by the monoclinic space group P 21, and displaying unit cell parameters comprising: crystal axis lengths of a=7.95(1) Å, b=21.94(1) Å, c=17.95(1) Å and an angle between the crystal axes of $\beta=100.03(1)^\circ$.
- 3. A process for preparing the crystalline 1-(((1(R)-(3-(2-(7-chloro-2-quinolinyl)ethenyl)-3-(2-(1-hydroxy-1-methylethyl)phenyl)

 propyl)thio)methyl)cyclopropane acetic acid of claim 1 or claim 2, comprising
 - (i) dissolving 1-(((1(R)-(3-(2-(7-chloro-2-quinolinyl)ethenyl)-3-(2-(1-hydroxy-1-methylethyl)phenyl) propyl)thio)methyl)cyclopropane acetic acid, or a salt thereof, in a mixture of acetone and one or more aqueous buffers, and
- 20 (ii) recrystallizing the 1-(((1(R)-(3-(2-(7-chloro-2-quinolinyl)ethenyl)-phenyl)-3-(2-(1-hydroxy-1-methylethyl)phenyl) propyl)thio)methyl)cyclopropane acetic acid.

- 4. The process of claim 3, wherein the ratio of one or more aqueous buffers to acetone is from about 1:5 to about 5:1.
- 5. The process of claim 3, wherein the crystallization step is performed at a pH of about 5 to about 8.
 - 6. The process of claim 3, wherein recrystallization is performed at a temperature of from about 5 °C to about 50 °C.
 - 7. The process of claim 3, further comprising

- (iii) isolating the crystalline 1-(((1(R)-(3-(2-(7-chloro-2-quinolinyl)ethenyl)-phenyl)-3-(2-(1-hydroxy-1-methylethyl)phenyl) propyl)thio)methyl)cyclopropane acetic acid.
- 8. Crystalline 1-(((1(R)-(3-(2-(7-chloro-2-quinolinyl)ethenyl)-phenyl)-3-(2-(1-hydroxy-1-methylethyl)phenyl) propyl)thio)methyl)cyclopropane acetic acid prepared by the process of claim 3.
- 9. The crystalline 1-(((1(R)-(3-(2-(7-chloro-2-quinolinyl)ethenyl)-phenyl)-3-(2-(1-hydroxy-1-methylethyl)phenyl) propyl)thio)methyl)cyclopropane acetic acid of claim 1 or claim
 20 2, having a purity of greater than about 90.0%.


- 10. The crystalline 1-(((1(R)-(3-(2-(7-chloro-2-quinolinyl)ethenyl)-phenyl)-3-(2-(1-hydroxy-1-methylethyl)phenyl) propyl)thio)methyl)cyclopropane acetic acid of claim 1 or claim 2, having a purity of greater than about 95.0%.
- 11. The crystalline 1-(((1(R)-(3-(2-(7-chloro-2-quinolinyl)ethenyl)-phenyl)-3-(2-(1-hydroxy-1-methylethyl)phenyl) propyl)thio)methyl)cyclopropane acetic acid of claim 1 or claim 2, having a purity of greater than about 99.0%.
- 12. The crystalline 1-(((1(R)-(3-(2-(7-chloro-2-quinolinyl)ethenyl)-phenyl)-3-(2-(1-hydroxy-1-methylethyl)phenyl) propyl)thio)methyl)cyclopropane acetic acid of claim 1 or claim 2, having a purity of greater than about 99.9%.
- 13. A pharmaceutical composition comprising the crystalline 1-(((1(R)-(3-(2-(7-chloro-2-quinolinyl)ethenyl)-phenyl)-3-(2-(1-hydroxy-1-methylethyl)phenyl)propyl)thio)
 15 methyl) cyclopropane acetic acid according to claim 1 or claim 2, and one or more pharmaceutically acceptable carriers or excipients.
- 14. A method of treating asthma in a human which comprises administering to a patient in need of such treatment an effective amount of the crystalline form of 1-(((1(R)-(3-(2-(7-chloro-2-quinolinyl)-thenyl)-3-(2-(1-hydroxy-1-methylethyl)phenyl) propyl)thio)methyl) cyclopropane acetic acid of claim 1 or claim 2.


ABSTRACT


The present invention relates to a new crystalline form of 1-(((1(R)-(3-(2-(7-chloro-2-quinolinyl)ethenyl)-3-(2-(1-hydroxy-1-methylethyl)phenyl)propyl)thio)methyl) cyclopropane acetic acid, to a process for its preparation, to pharmaceutical formulations containing it, and to a method of treatment using the same

5

 $\{W: \label{eq:wave_energy} \{W: \label{eq:wave_energy} \{W: \label{eq:wave_energy} \}$







32.07